


2-Wire Modular Outdoor Station

---Video Intercom

Name Rule



Product



Parameter

2 MP | IP54 | IK07

Indication Lights

Call | Talk | Unlock




Ports

2-wire	O
485A	O
485B	O
GND	O
12V	O

Unlock	O
Feedback	O
GND	O
NO	O
NC	O
COM	O


Wiring



Solution

(per building)
20 Door + **200** Monitor

— Cat5e
— 2-pin cable



Product Selection

Modular Outdoor Station




VTO2000A-2 Series
2 MP, IP54, IK07
Stainless steel
Surface & Flush


Main Module



VTO2000A-C-2
Camera module
2 MP



VTO2000A-B1/B/B5
Button module



VTO2000A-R
Card module
13.56MHz



VTO2000A-K
Keypad module
Support Braille



VTO2000A-F
Fingerprint module
3000



VTO2000A-E
Blank module

2-module Accessory



VTOF002
Front panel



VTOB113
Surface box



VTOB111
Flush box

3-module Accessory



VTOF003
Front panel



VTOB114
Surface box



VTOB112
Flush box

9-module Accessory



VTOF009-VTOB115
Front panel & Flush box

2-wire Indoor Station



VTH5222CH
7" Capacitive
Micro SD, Max 32GB
Surface



VTNS1006A-2
6ch 2-wire convertor
30 cascading

Firmware

Outdoor Station	Version
VTO2000A-C-2	General_VTO2000A-C-2_Eng_P_32M_V4.000.9999000.0.R.20181224

VTH/VTs/Software	Version
VTH5222CH	General_VTH5222CH_Eng_P_V4.000.0000.0.R.20180622
VTs5240B	General_VTs5240B_Eng_P_VT_V4.200.0012000.0.R.20180723
SmartPss	V2.002.0000007

Thank You